



TARGET HIRE

Covering Yorkshire, the Humber &
Lincolnshire



CALL US: 01757 600588

OUR HIRE

We have a comprehensive fleet, including **bulk tanks, HVO tanks, diesel generators, cables, distribution boxes, load banks, and more.**



OUR SERVICES

Our services include **delivery and installation, cross hire**, collection from our depot, **power contingency planning**, and both **short and long-term hire** options.



SOME OF OUR CLIENTS



CALL US: 01757 600588 / HELLO@TARGET-HIRE.CO.UK

10 kVA Portable Diesel Generator Hire

Easy-to-operate portable diesel generators. **Perfect for construction, agriculture, events, and residential power needs.** They are **easy to manoeuvre, fuel-efficient, and quiet**, with multiple sets readily available at our Yorkshire depot.



10 kVA Portable Generator (Typical specification)

Prime kVA / KW	10/9
Voltage	230/115
Tank	24L
Noise	68 dBA
Sockets 230V	2x 16A & 1x 32A
Sockets 115V	2x 16A & 2 x 32A
Dry Weight	325 KG
Dimensions	Length (L) mm 1400 Width (W) mm 650 Height (H) mm 975
Type	Portable
Panel	Manual
Road Tow Option	Yes

- **Reliable Stage V Engine**
- **Long Lasting Fuel Tank**
- **Easy Refuelling**
- **Easy To Manoeuvre**
- **Low Noise**
- **Central Lifting Hook**
- **Well-Equipped Control & Socket Panel**



CALL US: 01757 600588

20kVA Diesel Generator Hire

Easy-to-operate 20 kVA diesel generators. **Perfect for construction, agriculture, events, and emergency power needs.** They are **easy to maneuver, fuel-efficient, and low noise.** They are **road-tow friendly** and can be mounted on one of our trailers for easy transportation.



20 kVA Portable Generator (Typical specification)

Prime kVA / KW	20/16
Voltage	400/230
Tank	51L
Noise	69 dBA
Sockets 400V	1x 16A & 1x 32A
Sockets 230V	2x 16A
Dry Weight	565 KG
Dimensions	Length (L) mm 1645 Width (W) mm 870 Height (H) mm 1072
Type	Low Noise
Panel	Manual
Road Tow Option	Yes

- Reliable Stage V Engine
- Refill Friendly
- Easy To Maintain
- 12 Hour Run Time (Full Load)
- Manual Start
- Well-Equipped Control & Socket Panel



CALL US: 01757 600588

20kVA Diesel Generator (230V) Hire

Easy-to-operate 20 kVA diesel generators. 230V Single Phase. **Perfect for construction, agriculture, events, and emergency power needs.** They are **easy to manoeuvre, fuel-efficient, and low noise.** They are **road-tow friendly** and can be mounted on one of our trailers for easy transportation.



20 kVA Portable Generator (Typical specification)

Prime kVA / KW	20/16
Voltage	230
Tank	100L
Noise	64 dBA
Sockets 400V	N/A
Sockets 230V	1x 63A
Dry Weight	650 KG
Dimensions	Length (L) mm 2100 Width (W) mm 870 Height (H) mm 1165
Type	Ultra Low Noise
Panel	Manual/ Auto
Road Tow Option	Yes

- 230V 1PH
- Refill Friendly
- Easy To Maintain
- 19 Hour Run Time (75% Load)
- Manual Start & Automatic
- Central Lifting Hook



CALL US: 01757 600588

30kVA Diesel Generator (230V) Hire

Easy-to-operate 30kVA diesel generators. 230V Single Phase. **Perfect for construction, agriculture, events, and emergency power needs.** They are **easy to manoeuvre, fuel-efficient, and low noise.** They are **road-tow friendly** and can be mounted on one of our trailers for easy transportation.



20 kVA Portable Generator (Typical specification)

Prime kVA / KW	30/24
Voltage	230
Tank	100L
Noise	64 dBA
Sockets 400V	N/A
Sockets 230V	1x 63A (Options)
Dry Weight	1000 KG
Dimensions	Length (L) mm 2200 Width (W) mm 1000 Height (H) mm 1265
Type	Ultra Low Noise
Panel	Manual/ Auto
Road Tow Option	Yes

- 230V 1PH
- Refill Friendly
- Easy To Maintain
- 12 Hour Run Time (Full Load)
- Manual Start & Automatic
- Central Lifting Hook



CALL US: 01757 600588

30 kVA Super Silent Diesel Generator

Robust 30kVA generator built into an **ultra-low noise canopy**, ideal for both **standby and prime applications**. It can be **paired with an extra fuel tank or mounted on a road-towable trailer**. Designed for easy maneuverability with **forklift points** and a **central lifting hook**.



30 kVA Diesel Generator
(Typical specification)

Prime kVA / KW	30/24
Voltage	400V
Tank	170L
Noise	72 dBA
Sockets 400V	1x 16A, 1x32A
Sockets 230V	1x 16A
Dry Weight	1125 KG
Dimensions	2252*960*1507 (MM, LWH)
Type	Silent
Panel	AMF/Manual
Road Tow Option	Yes

- Reliable Engine
- Robust Canopy & Base Frame
- Long Run Fuel Tank
- Fuel Efficient
- Central Lifting Hook & Forklift Points
- Ultra Low Noise
- Manual & Automatic Control Panel



CALL US: 01757 600588

55 kVA Super Silent Diesel Generator

Robust 55kVA generator built into an **ultra-low noise canopy**, ideal for both **standby and prime applications**. It can be **paired with an extra fuel tank or mounted on a road-towable trailer**. Designed for easy maneuverability with **forklift points** and a **central lifting hook**.



55 kVA Diesel Generator
(Typical specification)

Prime kVA / KW	55/44
Voltage	400V
Tank	250L
Noise	72 dBA
Sockets 400V	1x 63A, 1x32A
Sockets 230V	1x 32A
Dry Weight	1290 KG
Dimensions	2606*1100*1525 (MM, LWH)
Type	Silent
Panel	AMF/Manual
Road Tow Option	Yes

- **Reliable Engine**
- **Robust Canopy & Base Frame**
- **Long Run Fuel Tank**
- **Fuel Efficient**
- **Central Lifting Hook & Forklift Points**
- **Ultra Low Noise**
- **Manual & Automatic Control Panel**



CALL US: 01757 600588

100 kVA Super Silent Diesel Generator

Robust 100kVA generator built into an **ultra-low noise canopy**, ideal for both **standby and prime applications**. It can be **paired with an extra fuel tank or mounted on a road-towable trailer**. Designed for **easy manoeuvrability** with **forklift points** and a **central lifting hook**.



100 kVA Diesel Generator (Typical specification)

Prime kVA / KW	100/80
Voltage	400V
Tank	250L
Noise	72 dBA
Sockets 400V	1x 125A, 1x63A
Sockets 230V	1x 32A
Dry Weight	1645 KG
Dimensions	2702*1100*1677 (MM, LWH)
Type	Silent
Panel	AMF/Manual
Road Tow Option	Yes

- **Reliable Engine**
- **Robust Canopy & Base Frame**
- **Long Run Fuel Tank**
- **Fuel Efficient**
- **Central Lifting Hook & Forklift Points**
- **Ultra Low Noise**
- **Manual & Automatic Control Panel**



CALL US: 01757 600588

200 kVA Super Silent Diesel Generator

Robust 200kVA generator built into an **ultra-low noise canopy**, ideal for both **standby and prime applications**. It can be **paired with an extra fuel tank**. Designed for easy manoeuvrability with **forklift points** and a **central lifting hook**.



200 kVA Diesel Generator (Typical specification)

Prime kVA / KW	200/160
Voltage	400V
Tank	450L
Noise	72 dBA
Sockets 400V	POA
Sockets 230V	POA
Dry Weight	2520 KG
Dimensions	3412*1100*1960 (MM, LWH)
Type	Silent
Panel	AMF/Manual
Road Tow Option	N/A

- Reliable Engine
- Robust Canopy & Base Frame
- Long Run Fuel Tank
- Fuel Efficient
- Central Lifting Hook & Forklift Points
- Ultra Low Noise
- Manual & Automatic Control Panel



CALL US: 01757 600588

300 kVA Super Silent Diesel Generator

Robust 300kVA generator built into an **ultra-low noise canopy**, ideal for both **standby and prime applications**. It can be **paired with an extra fuel tank**. Designed for easy manoeuvrability with **forklift points** and a **central lifting hook**.



300 kVA Diesel Generator (Typical specification)

Prime kVA / KW	300/240
Voltage	400V
Tank	650L
Noise	72 dBA
Sockets 400V	POA
Sockets 230V	POA
Dry Weight	3160 KG
Dimensions	3962*1350*2105(MM , LWH)
Type	Silent
Panel	Sync/AMF/Manual
Road Tow Option	N/A

- Reliable Engine
- Robust Canopy & Base Frame
- Long Run Fuel Tank
- Fuel Efficient
- Central Lifting Hook & Forklift Points
- Ultra Low Noise
- Manual & Automatic, Sync Control Panel



CALL US: 01757 600588

500 kVA Super Silent Diesel Generator

Robust 500kVA generator built into an **ultra-low noise canopy**, ideal for both **standby and prime applications**. It can be **paired with an extra fuel tank**. Designed for easy manoeuvrability with **forklift points** and a **central lifting hook**.



500 kVA Diesel Generator (Typical specification)

Prime kVA / KW	500/400
Voltage	400V
Tank	650L+
Noise	72 dBA
Sockets 400V	POA
Sockets 230V	POA
Dry Weight	4900 KG
Dimensions	4612*1630*2250(MM , LWH)
Type	Silent
Panel	Sync/AMF/Manual
Road Tow Option	N/A

- **Reliable Engine**
- **Robust Canopy & Base Frame**
- **Long Run Fuel Tank**
- **Fuel Efficient**
- **Central Lifting Hook & Forklift Points**
- **Ultra Low Noise**
- **Manual & Automatic, Sync Control Panel**



CALL US: 01757 600588

Bulk Liquid Fuel Tanks

Our liquid **diesel bulk tanks** are suitable for **white diesel, AdBlue and HVO fuel**. Manufactured from **thick, high-grade steel**, they are built to withstand **harsh environments**.

Smaller capacities can be mounted on **road-towable trailers**, and we also **supply fuel feed and return pipes**, In 5, 10 & 12M.



Typical Specifications:

Product Code:	TH450	TH1000	TH2000	TH3000	TH6300
Capacity L	450	1000	2000	3000	6300
Type	Steal	Steal	Steal	Steal	Steal
Bunded	Yes	Yes	Yes	Yes	Yes
Forklift Points	Yes	Yes	Yes	Yes	Yes
Lift Hooks	Yes	Yes	Yes	Yes	Yes
Dry Weight KG	304	613	890	1081	1688
Dimensions LWH MM	1150x1100x864	1370x1085 x1270	2294x1085 x1270	2290x1545 x1270	2965x2294 x1270
Road Tow Option	YES	YES	N/A	N/A	N/A

CALL US: 01757 600588



Target Hire

Unit 1A, Jandrem Industrial Estate, Carlton, North Yorkshire,
DN14 9PX

01757 600588

hello@target-hire.co.uk



TARGET HIRE